SANITIZER RANGE

IAND PUMP



emergency has made the issue of environmental sanitation even more topical. Once a necessity for only a few, today sanitation is a must for everyone.

PIUSI has created a specific range of systems for transferring sanitizing fluids that are all fully compatible with all the specialised solutions on the market.

PJJ5 ®

MADE IN ITALY

SANITIZER RANGE

THE **SANITIZER** RANGE INCLUDES **SPECIFIC PRODUCTS AND MATERIALS** SUITED FOR **TRANSFERRING SANITIZERS** CONTAINING:


• ETHYL AND ISOPROPYL ALCOHOL WITH CONCENTRATION UP TO 70%;

• HYDROGEN PEROXIDE WITH A CONCENTRA-TION OF UP TO 2%.

THE MECHANICAL AND FUNCTIONAL CHARACTERISTICS MAKE THE SANITIZER SYSTEMS SAFE, FAST, PRACTICAL AND CLEAN FOR TRANSFERRING SANITIZING PRODUCTS FROM DRUMS, TANKS, CANS INTO OTHER CONTAINERS.



VARIOUS VERSIONS



AUTOMATIC TRANSFER

An integrated **air-powered system for rapidly transferring** any sanitizer at up to 50 l/min. **Safe and professional**, it can be used safely by any operator. The practical structure allows **easy handling** from one tank to another.

FEATURES

- PRESSURE AND FLOW RATE REGULATION,
- ATEX CERTIFICATION ZONE 2 (MARKING 3/3 GD C IIB TI35°C),
- QUICK COUPLING TO AIR COMPRESSOR,
- DELIVERY HOSE 3 MT,
- SUCTION HOSE 1,5 MT,
- IBC CONNECTION: EXTERNAL SUCTION.

PERFORMANCE

- 50 L/MIN FLOW RATE (36 L/MIN A 3 BAR);
- FILLING OF DRUMS OR SPRAYER PACKS IN 1 MINUTE.

CODE F00209C00 ST

DESCRIPTION ST MP130 SANIT S/CONT/PMAN

MANUAL TRANSFER

A robust and ergonomic hand pump for the safe and professional transfer of all sanitizers on the market. Available in drum or IBC tank version, it guarantees a flow rate of 4 litres with 10 rotations.

FEATURES

- DISPENSING ALWAYS GUARANTEED,
- VERSATILE AND EASY TO MOVE FROM A TANK TO ANOTHER,
- SEVERAL DRUM CONNECTION AVAILABLE,
- DELIVERY HOSE 2,5 MT WITH SPOUT,
- SUCTION HOSE (SIDE VERSION),
- SUCTION HOSE 1,5 MT (SIDE VERSION),
- IBC CONNECTION: EXTERNAL SUCTION (SIDE VERSION),
- NON-RETURN VALVE FOR A QUICK REFILLING.

PERFORMANCE

• 15 L/MIN FLOW RATE (36 L/MIN A 3 BAR).

| CODE | DESCRIPTION |
|-----------|---|
| F00332C0A | PIUSI HAND PUMP SANI 56X4/70X6/2"BSPW/H |
| F00332C30 | PIUSI HAND PUMP SANITIZER SIDE |

