




MS 134 P



CONSTRUCTION MATERIALS		
SHELL	TUBES	END COVERS
CARBON STEEL*	COPPER*	CAST IRON*
STAINLESS STEEL	STAINLESS STEEL	STAINLESS STEEL
BRASS	CuNi (marine use)	BRONZE

- Dimensions and technical characteristics are not binding

*standard




TYPE	CODE	OIL FLOW l/min	WATERFLOW l/min	kW MIN water flow		kW MAX water flow		WEIGHT kg	DIMENSIONS			
				ΔTm 25° C	ΔTm 25° C	ΔTm 25° C	ΔTm 25° C		F	Li	Le	Lt
MS 134 P1	2SC134P1	30-100	15-60	4	9	4	12	16,4	1 1/2" gas	285	286-384	480
MS 134 P2	2SC134P2	40-130	15-60	13	22	17	33	22,6	1 1/2" gas	535	536-634	730
MS 134 P3	2SC134P3	120-250	15-60	20	25	29	39	23,0	2" gas	520	536-634	730
MS 134 P4	2SC134P4	80-250	15-60	8,5	21	9	29	30,7	1 1/2" gas	845	846-944	1040
MS 134 P5	2SC134P5	200-400	15-60	31	39	48	70	30,9	2" gas	830	846-944	1040
MS 134 P6	2SC134P6	30-170	15-60	11	26	12	36	40,0	1 1/2" gas	1145	1146-1244	1340
MS 134 P7	2SC134P7	200-500	15-60	32	64	41	95	39,5	2" gas	1130	1146-1244	1340



MS 134 P





WATER FLOW RATE:





P1 P2 P3



P4 P5 P6



P7



CORRECTION FACTOR							
ΔT_m	10	15	20	25	30	35	40
f	2,5	1,67	1,25	1	0,83	0,71	0,63

CORRECTION FACTOR							
cSt	22	30	46	68	100	150	220
f	0,4	0,6	1	1,5	2,3	3,3	4,6