Rittal - The System.

Faster – better – everywhere.

Lock inserts – SZ 2460.000

Date: May 6, 2016



ENCLOSURES POWER DISTRIBUTION CLIMATE CONTROL IT INFRASTRUCTURE SOFTWARE & SERVICES

Lock inserts - SZ 2460.000



Prod	luct d	lescri	iption

Material: Die-cast zinc

Packs of: 1 pc(s).

EAN: 4028177023765

Customs tariff 83015000 number:

eCl@ss 5.1: 27189256

eCl@ss 7.0: 27409218

ETIM 6.0: EC000743

Product features

Design: Α

To fit: Enclosure type: EB

Enclosure type: BG with cam Enclosure type: AE with cam

Enclosure type: Based on AE with cam

Enclosure type: Wall-mounted enclosure AE with cam

Enclosure type: AE with 3-point lock

Enclosure type: Based AE with 3-point lock

Enclosure type: Wall-mounted enclosure AE with 3-point lock Enclosure type: AE with stainless steel 3-point lock

Enclosure type: PC enclosure keyboard drawer or fold-out tray

Enclosure type: TP desk section and console

Enclosure type: TP pedestals

1

Enclosure type: One-piece console TP - Console cover Enclosure type: One-piece console TP - Console door

Enclosure type: TP universal console

Enclosure type: AE with stainless steel 3-point lock

Enclosure type: Based on AE with stainless steel 3-point lock

Dimensions: Length: 27 mm

Installation in handle

system:

Ergoform-S handle Standard

Ergoform-S handle Standard for KS plastic enclosures

Adjacent door latch

Weight/pack: 0.02 kg

Downloads

CAD drawings: Request

© Rittal 2016 2