



T-piece short Weldon DIN for pipe acc. To DIN EN 10357 DIN

nominal width system :	DIN
Version A:	Weldon
standard:	for pipe acc. to DIN EN 10375

Article no.	nominal size I ▼	D2	D1	external surface ▼	material I ▼	L	L1	weight
2004500001012	10	12	9	polished	1.4307	52	8	0.02
2004500001025	10	12	9	satin polished	1.4307	52	8	0.02
2004500001022	10	12	9	matt	1.4307	52	8	0.02
2004500001031	10	12	9	polished	1.4404	52	8	0.02
2004500001245	10	12	9	satin polished	1.4404	52	8	0.02
2004500001041	10	12	9	matt	1.4404	52	8	0.02
2004500001281	10	12	9	metal bright	1.4404	52	8	0.02
2004500001310	10	13	10	polished	1.4307	52	7.5	0.02
2004500001320	10	13	10	matt	1.4307	52	7.5	0.02
2004500001330	10	13	10	polished	1.4404	52	7.5	0.02
2004500001510	15	18	15	polished	1.4307	70	11	0.05
2004500001525	15	18	15	satin polished	1.4307	70	11	0.05
2004500001925	15	19	16	satin polished	1.4307	70	11	0.05
2004500001520	15	18	15	matt	1.4307	70	11	0.05
2004500001530	15	18	15	polished	1.4404	70	11	0.05

Support

Article no.		D2	D1			L	L1	weight
2004500001545	15	18	15	satin polished	1.4404	70	11	0.05
2004500001540	15	18	15	matt	1.4404	70	11	0.05
2004500001581	15	18	15	metal bright	1.4404	70	11	0.05
2004500001920	15	19	16	matt	1.4307	70	11	0.05
2004500001930	15	19	16	polished	1.4404	70	11	0.05
2004500001945	15	19	16	satin polished	1.4404	70	11	0.05
2004500001940	15	19	16	matt	1.4404	70	11	0.05
2004500001981	15	19	16	metal bright	1.4404	70	11	0.05
2004500002010	20	22	19	polished	1.4307	80	13	0.06
2004500002025	20	22	19	satin polished	1.4307	80	13	0.06
2004500002020	20	22	19	matt	1.4307	80	13	0.06
2004500002030	20	22	19	polished	1.4404	80	13	0.06
2004500002045	20	22	19	satin polished	1.4404	80	13	0.06
2004500002040	20	22	19	matt	1.4404	80	13	0.06
2004500002081	20	22	19	metal bright	1.4404	80	13	0.06
2004500002310	20	23	20	polished	1.4307	80	13	0.06
2004500002325	20	23	20	satin polished	1.4307	80	13	0.06

Support

Article no.		D2	D1			L	L1	weight
2004500002320	20	23	20	matt	1.4307	80	13	0.06
2004500002345	20	23	20	satin polished	1.4404	80	13	0.06
2004500002340	20	23	20	matt	1.4404	80	13	0.06
2004500002381	20	23	20	metal bright	1.4404	80	13	0.06
2004500002525	25	28	25	satin polished	1.4307	100	16	0.09
2004500002520	25	28	25	matt	1.4307	100	16	0.09
2004500002530	25	28	25	polished	1.4404	100	16	0.09
2004500002545	25	28	25	satin polished	1.4404	100	16	0.09
2004500002540	25	28	25	matt	1.4404	100	16	0.09
2004500002581	25	28	25	metal bright	1.4404	100	16	0.09
2004500002925	25	29	26	satin polished	1.4307	100	16	0.09
2004500002920	25	29	26	matt	1.4307	100	16	0.09
2004500002945	25	29	26	satin polished	1.4404	100	16	0.09
2004500002940	25	29	26	matt	1.4404	100	16	0.09
2004500002981	25	29	26	metal bright	1.4404	100	16	0.09
2004500003225	32	34	31	satin polished	1.4307	110	19	0.12
2004500003220	32	34	31	matt	1.4307	110	19	0.12

Support

Article no.		D2	D1			L	L1	weight
2004500003230	32	34	31	polished	1.4404	110	19	0.12
2004500003245	32	34	31	satin polished	1.4404	110	19	0.12
2004500003240	32	34	31	matt	1.4404	110	19	0.12
2004500003281	32	34	31	metal bright	1.4404	110	19	0.12
2004500003525	32	35	32	satin polished	1.4307	110	19.5	0.12
2004500003520	32	35	32	matt	1.4307	110	19.5	0.12
2004500003545	32	35	32	satin polished	1.4404	110	19.5	0.12
2004500003540	32	35	32	matt	1.4404	110	19.5	0.12
2004500003581	32	35	32	metal bright	1.4404	110	19.5	0.12
2004500004010	40	40	37	polished	1.4307	120	22	0.15
2004500004025	40	40	37	satin polished	1.4307	120	22	0.15
2004500004020	40	40	37	matt	1.4307	120	22	0.15
2004500004030	40	40	37	polished	1.4404	120	22	0.15
2004500004045	40	40	37	satin polished	1.4404	120	22	0.15
2004500004040	40	40	37	matt	1.4404	120	22	0.15
2004500004081	40	40	37	metal bright	1.4404	120	22	0.15
2004500004110	40	41	38	polished	1.4307	120	23	0.15

Support

Article no.		D2	D1			L	L1	weight
2004500004125	40	41	38	satin polished	1.4307	120	23	0.15
2004500004120	40	41	38	matt	1.4307	120	23	0.15
2004500004130	40	41	38	polished	1.4404	120	23	0.15
2004500004145	40	41	38	satin polished	1.4404	120	23	0.15
2004500004140	40	41	38	matt	1.4404	120	23	0.15
2004500004181	40	41	38	metal bright	1.4404	120	23	0.15
2004500005025	50	52	49	satin polished	1.4307	140	29	0.24
2004500005020	50	52	49	matt	1.4307	140	29	0.24
2004500005045	50	52	49	satin polished	1.4404	140	29	0.24
2004500005040	50	52	49	matt	1.4404	140	29	0.24
2004500005081	50	52	49	metal bright	1.4404	140	29	0.24
2004500005325	50	53	50	satin polished	1.4307	140	30	0.24
2004500005320	50	53	50	matt	1.4307	140	30	0.24
2004500005345	50	53	50	satin polished	1.4404	140	30	0.24
2004500005340	50	53	50	matt	1.4404	140	30	0.24
2004500005381	50	53	50	metal bright	1.4404	140	30	0.24
2004500006510	65	70	66	polished	1.4307	160	40	0.46

Support

Article no.		D2	D1			L	L1	weight
2004500006525	65	70	66	satin polished	1.4307	160	40	0.46
2004500006520	65	70	66	matt	1.4307	160	40	0.46
2004500006545	65	70	66	satin polished	1.4404	160	40	0.46
2004500006540	65	70	66	matt	1.4404	160	40	0.46
2004500006581	65	70	66	metal bright	1.4404	160	40	0.46
2004500008025	80	85	81	satin polished	1.4307	180	47.5	0.68
2004500008020	80	85	81	matt	1.4307	180	47.5	0.68
2004500008045	80	85	81	satin polished	1.4404	180	47.5	0.68
2004500008040	80	85	81	matt	1.4404	180	47.5	0.68
2004500008081	80	85	81	metal bright	1.4404	180	47.5	0.68
2004500010010	100	104	100	polished	1.4307	200	58.5	0.92
2004500010025	100	104	100	satin polished	1.4307	200	58.5	0.92
2004500010020	100	104	100	matt	1.4307	200	58.5	0.92
2004500010045	100	104	100	satin polished	1.4404	200	58.5	0.92
2004500010040	100	104	100	matt	1.4404	200	58.5	0.92
2004500010081	100	104	100	metal bright	1.4404	200	58.5	0.92
2004500012525	125	129	125	satin polished	1.4307	375	74	1.97

Support

Article no.		D2	D1			L	L1	weight
2004500012520	125	129	125	matt	1.4307	375	74	1.97
2004500012545	125	129	125	satin polished	1.4404	375	74	1.97
2004500012540	125	129	125	matt	1.4404	375	74	1.97
2004500012581	125	129	125	metal bright	1.4404	375	74	1.97
2004500015025	150	154	150	satin polished	1.4307	450	90	2.89
2004500015020	150	154	150	matt	1.4307	450	90	2.89
2004500015030	150	154	150	polished	1.4404	450	90	2.89
2004500015045	150	154	150	satin polished	1.4404	450	90	2.89
2004500015040	150	154	150	matt	1.4404	450	90	2.89
2004500015081	150	154	150	metal bright	1.4404	450	90	2.89
2004500020010	200	204	200	polished	1.4307	600	115	5.46
2004500020025	200	204	200	satin polished	1.4307	600	115	5.46
2004500020020	200	204	200	matt	1.4307	600	115	5.46
2004500020045	200	204	200	satin polished	1.4404	600	115	5.46
2004500020040	200	204	200	matt	1.4404	600	115	5.46
20045100	100	104	100	metal bright	1.4307	200	58.5	0.92
2004511	10	13	10	metal bright	1.4307	52	7.5	0.02

Support

Article no.		D2	D1			L	L1	weight
20045125	125	129	125	metal bright	1.4307	375	74	1.97
2004515	15	18	15	metal bright	1.4307	70	11	0.05
20045150	150	154	150	metal bright	1.4307	450	90	2.89
2004516	15	19	16	metal bright	1.4307	70	11	0.05
2004520	20	22	19	metal bright	1.4307	80	13	0.06
20045200	200	204	200	metal bright	1.4307	600	115	5.46
20045201	200	204	200	metal bright	1.4404	600	115	5.46
2004523	20	23	20	metal bright	1.4307	80	13	0.06
2004525	25	28	25	metal bright	1.4307	100	16	0.09
2004526	25	29	26	metal bright	1.4307	100	16	0.09
2004532	32	34	31	metal bright	1.4307	110	19	0.12
2004533	32	35	32	metal bright	1.4307	110	19.5	0.12
2004540	40	40	37	metal bright	1.4307	120	22	0.15
2004541	40	41	38	metal bright	1.4307	120	23	0.15
2004550	50	52	49	metal bright	1.4307	140	29	0.24
2004553	50	53	50	metal bright	1.4307	140	30	0.24
2004565	65	70	66	metal bright	1.4307	160	40	0.46

Support

Article no.		D2	D1			L	L1	weight
2004580	80	85	81	metal bright	1.4307	180	47.5	0.68
2004590	10	12	9	metal bright	1.4307	52	8	0.02

Armaturenwerk Hötensleben GmbH | Schulstraße 5-6 | D-39393 Hötensleben | Tel.: +49 39405 92-0 | info@awh.eu | www.awh.eu